

SAFETY DATA SHEET

Vectair Airoma Citrus Tingle 100 ml

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Vectair Airoma Citrus Tingle 100 ml	
Synonyms; trade names	Microairoma Citrus Tingle	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Air freshener	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Vectair Systems Ltd Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG248NU +44 1256319500 Info@vectairsystems.com	
Contact person	Product development	
1.4. Emergency telephone nul	mber	
Emergency telephone	Vectair Systems +441256319500	
National emergency telephone number	 National Posions Information Service (Birmingham Unit) +441215074123 	
	+441215074123	
number	+441215074123 ation	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008)	+441215074123 ation ance or mixture	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards	+441215074123 ation tance or mixture Aerosol 1 - H222, H229	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards	+441215074123 ation ance or mixture Aerosol 1 - H222, H229 Eye Irrit. 2 - H319	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards	+441215074123 ation tance or mixture Aerosol 1 - H222, H229	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards	+441215074123 ation ance or mixture Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards Classification in accordance	+441215074123 ation ance or mixture Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412	
number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards Classification in accordance with Directive 1907/2006/EEC	+441215074123 ation ance or mixture Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412	

Signal word

Danger

Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains Linalool, (R)-p-mentha-1,8-diene, citral, Citronellol, Terpinolene. May produce an allergic reaction.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
ethanol		10-30%
CAS number: 64-17-5	EC number: 200-578-6	
Classification		
Flam. Liq. 2 - H225		
propan-2-ol		5-10%
CAS number: 67-63-0	EC number: 200-661-7	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
Propane-1,2-diol		5-10%
CAS number: 57-55-6		
Classification		
Not Classified		
Alpha-terpineol		1-5%
CAS number: 98-55-5		
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		

Linalool		<1%
CAS number: 78-70-6		
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317		
(R)-p-mentha-1,8-diene		<1%
CAS number: 5989-27-5	EC number: 227-813-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
citral CAS number: 5392-40-5	EC number: 226-394-6	<1%
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317		
Citronellol CAS number: 106-22-9		<1%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317		
Terpinolene		<1%
CAS number: 586-62-9		
M factor (Acute) = 10	M factor (Chronic) = 10	
Classification Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.	
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.	
Skin contact	Rinse with water.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Spray/mists may cause respiratory tract irritation.	
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.	
Skin contact	Repeated exposure may cause skin dryness or cracking.	
Eye contact	Irritating to eyes.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Evacuate area. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid contact with eyes and prolonged skin contact.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning upWear protective clothing as described in Section 8 of this safety data sheet. Clear up spills
immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No
smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to
enter confined spaces, due to the risk of explosion. Approach the spillage from upwind. Flush
contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.
Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste
disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.

Advice on generalWash promptly if skin becomes contaminated. Take off contaminated clothing. Washoccupational hygienecontaminated clothing before reuse. Do not eat, drink or smoke when using this product.Wash at the end of each work shift and before eating, smoking and using the toilet. Change
work clothing daily before leaving workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in accordance with local regulations. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Propane-1,2-diol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



Appropriate engineering controls



Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN1436. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic phys	ical and chemical properties
Appearance	Aerosol.
Colour	Colourless.
Odour	Fragrant.
Odour threshold	Not known.
рН	Not applicable.
Melting point	<0°C
Initial boiling point and range	Not known.
Flash point	Not applicable.
Evaporation rate	Not known.
Flammability (solid, gas)	Extremely flammable aerosol.
Vapour pressure	31000 kPa @ 20°C
Vapour density	> 1
Relative density	0.621 @ g/ml°C
Solubility(ies)	Soluble in water.
Viscosity	Not known.

Explosive properties	Not known.	
9.2. Other information		
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous r	eactions	
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
SECTION 11: Toxicological information		
SECTION 11: Toxicological info	ormation	
SECTION 11: Toxicological info 11.1. Information on toxicologic		
11.1. Information on toxicologic		
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal	cal effects Based on available data the classification criteria are not met.	
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD ₅₀)	cal effects	
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal	cal effects Based on available data the classification criteria are not met.	
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation	cal effects Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.	
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD50) Acute toxicity - dermal Notes (dermal LD50) Acute toxicity - inhalation Notes (inhalation LC50) Skin corrosion/irritation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.	
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data Serious eye damage/irritation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.	
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD50) Acute toxicity - dermal Notes (dermal LD50) Acute toxicity - inhalation Notes (inhalation LC50) Skin corrosion/irritation Animal data Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitisation	Exal effects Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Causes serious eye irritation.	
11.1. Information on toxicologic Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation	Exal effects Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Causes serious eye irritation. Based on available data the classification criteria are not met.	

IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
SECTION 12: Ecological inform	nation
12.1. Toxicity	
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.
12.2. Persistence and degrada	ability
Persistence and degradability	The degradability of the product is not known.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.
12.5. Results of PBT and vPvE	3 assessment
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>s</u>

General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport inform	nation
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
14.1. UN number	
UN 1950	
14.2. UN proper shipping nam	<u>e</u>
AEROSOLS	
14.3. Transport hazard class(e	es)
ADR/RID class	2
ADR/RID classification code	5F
IMDG subsidiary risk	2
ICAO subsidiary risk	2
Transport labels	

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC. Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information	
Classification procedures according to Regulation (EC) 1272/2008	Eye Irrit. 2 - H319: : Calculation method. Aquatic Chronic 3 - H412: : Calculation method. Aerosol 1 - H222, H229: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Issued by	Compliance Lead - Vectair Systems
Revision date	03/05/2018
SDS number	4582
Hazard statements in full	 H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H229 Pressurised container: may burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains Linalool, (R)-p-mentha-1,8-diene, citral, Citronellol, Terpinolene. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.